

 Minibars




TEFCOLD 

MINIBARS

absorbtion coolers

The Tefcold minibars are available in three different sizes, with solid or glass door. The absorption system ensures silent operation, and all models are supplied with key lock and internal LED light.



» Minibars



New design increases net volume.

TM52G Black

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible glass door
- 2 adjustable shelves
- Automatic defrost
- Lock



TM32G Black

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible glass door
- 1 adjustable shelf
- Automatic defrost
- Lock



TM42G Black

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible glass door
- 2 adjustable shelves
- Automatic defrost
- Lock

Technical specifications

Model	TM32G Black	TM42G Black	TM52G Black
Climate Class, N,SN,ST,T	N	N	N
Temperature Range, °C	5-12	5-12	5-12
Gross Volume, l	32	42	52
Net Volume, l	31	41	51
External Dimensions, WxDxH	402x406x500	402x450x560	402x450x670
Internal Dimensions, WxDxH	316x215x400	316x245x459	316x245x569
Doors	1 glass	1 glass	1 glass
Shelves/Baskets	1	2	2
Outer Body	Black	Black	Black
Interior	ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Castors/Feet	4 feet	4 feet	4 feet
Lock	Y	Y	Y
Voltage/Frequency, V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Input Power, W	60	60	60
Energy Consumption, kWh/24h	See www.tefcold.dk	See www.tefcold.dk	See www.tefcold.dk
Gross Weight, kg	19,5	22	24
Net Weight, kg	16	17	19
Noise Level dbA	-	-	-
Type of Cooling	Absorbition	Absorbition	Absorbition
Type of Defrost	Automatic	Automatic	Automatic
Controller	Fuzzy Logic	Fuzzy Logic	Fuzzy Logic
Thermometer	N	N	N
Refrigerant	NH3	NH3	NH3
Charge, g	70	72	80
Internal Light	LED	LED	LED

» Minibars



New design increases net volume.

TM32 Black

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible door
- 1 adjustable shelf
- Inner door shelf
- Automatic defrost
- Lock



TM42 Black

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible door
- 2 adjustable shelves
- Inner door shelves
- Automatic defrost
- Lock



TM52 Black

- Silent operation
- Interior LED light
- Fuzzy Logic control
- Low energy consumption
- Reversible door
- 2 adjustable shelves
- Inner door shelves
- Automatic defrost
- Lock

Technical specifications

Model	TM32 Black	TM42 Black	TM52 Black
Climate Class	N	N	N
Temperature Range, °C	2-12	2-12	2-12
Gross Volume, l	32	42	52
Net Volume, l	31	41	51
External Dimensions, WxDxH	402x406x500	402x450x560	402x450x670
Internal Dimensions, WxDxH	316x215x400	316x245x459	316x245x569
Doors	1 solid	1 solid	1 solid
Shelves/Baskets	1	2	2
Outer Body	Black	Black	Black
Interior	ABS, RAL7005	ABS, RAL7005	ABS, RAL7005
Castors/Feet	4 feet	4 feet	4 feet
Lock	Y	Y	Y
Voltage/Frequency, V/Hz	220-240/50-60	220-240/50-60	220-240/50-60
Input Power, W	60	60	60
Energy Consumption, kWh/24h	See www.tefcold.dk	See www.tefcold.dk	See www.tefcold.dk
Gross Weight, kg	17	18,5	21
Net Weight, kg	13,5	14,5	16
Noise Level dbA	-	-	-
Type of Cooling	Absorbition	Absorbition	Absorbition
Type of Defrost	Automatic	Automatic	Automatic
Controller	Fuzzy Logic	Fuzzy Logic	Fuzzy Logic
Thermometer	N	N	N
Refrigerant	NH3	NH3	NH3
Charge, g	70	72	80
Internal Light	LED	LED	LED